According to Regulation (EC) No. 1907/2006 Revision No. 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Traceable® Premoistened Clean-Wipes

Product Number(s) 2065
Pure Substance/mixture Mixture

Revision Date: 13-June-2019

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Surface Cleaner Uses advised against Body Wipe

Manufacture/Supplier Traceable® Products

E-mail address Made In

Product Information

CPR STATEMENT: This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazardous Categories:

Flammable Solids Category 1
Eye Irritation Category 2A
Skin Irritation Category 3
Target Organ Toxicity, Single Exposure Category 3

Hazard Statements

H225 Highly flammable liquid and vapor. H316 Causes mild skin irritation H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness

Label Elements

Regulation (EC) No. 1272/2008

Hazard components for labeling

Signal Word: Danger

Pictograms:





Precautionary Statements

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 – Avoid breathing dust/fume/gas/mist/spray

P202 - Do not handle until all safety information has been read and understood.

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P370 + P378 IN CASE OF FIRE: Use appropriate media to extinguish.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CONTROL or doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water

Storage Store in a well-ventilated place. Keep container tightly closed. Keep cool. Containers which have been opened must be

resealed and kept upright to prevent leakage.

Disposal Dispose of contents/container to an approved waste disposal plant.

Additional advice on labeling

Classification according to EU Directives 67/548/EEC or 1999/45/EC.

This product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

EUH210 - Safety data sheet available upon request.

Hazards not otherwise classified (HNOC)

No information available

Other Information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Component	Chemical Formula	EC-No.	CAS-No	Classification according Regulation (EC) No. 1272 [CLP]	Weight %	Trade Secret
Isopropanol	(CH ₃) ₂ CHOH	-	67-63-0	-	60.1 %	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First Aid Measures

General Advice Use first aid treatment according to the nature of the injury. For further assistance, contact your local Poison

Control Center. Show this safety data sheet to the doctor in attendance.

Eye Contact In case of eye contact, remove contact lens and rinse thoroughly with plenty of water, also under the eyelids, for at

least 15 minutes. Obtain medical attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated clothing and shoes. If skin

reactions occur, contact a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, obtain medical attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do not include vomiting. Call a physician or Poison

Control Center immediately.

Production of First-Aiders Use personal protective equipment. See Section 8 for more detail. Do not use mouth to mouth method if victim

ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-

way valve or other proper respiratory medical devices.

Most important symptoms and effects, both acute and delayed

Most important symptoms/effects No information available

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Eliminate ignition source. Evacuate unnecessary personnel. Call appropriate firefighting crew. Special protective equipment for firefighters. Wear self-contained breathing apparatus for firefighting if necessary. Hazardous decomposition products formed under fire conditions. - Carbon oxides, ammonia, nitrogen oxides. Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Avoid breathing, mist or vapors. Ensure adequate ventilation. Use personal protective equipment. Refer to

Section 8. Evacuate personnel to safe areas.

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Method and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling To avoid risks to human health and the environment, comply with the instructions for use.

Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray

Ensure adequate ventilation, especially in confined areas. Prevent the buildup of electrostatic charge.

Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Conditions for Safe Storage, Including any Incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Containers which have been opened must

be resealed and kept upright to prevent leakage. Store at room temperature in the original container. Keep

away from direct sunlight.

Incompatible Products No information available.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Component		ACGIH	OSHA – PEL & TWA	OSHA STEL
Isopropanol	67-63-	STEL 400 ppm	980 mg/m3	500 ppm 1,225 mg/m3
0		TWA 200 ppm	400 ppm	

Compon	ent	Value	Determinant	Specimen	Sampling Time
Isopropanol	67-63-0	40 mg/l	Acetone	Urine	*

^{*}For sampling details, please request the source document

Appropriate Engineering Controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face Protection Wear chemical splash goggles. If splashes are likely to occur, wear: Face-shield.

Skin and Body Protection Wear protection gloves/clothing

Respiratory Protection None required under normal usage. In case of inadequate ventilation wear respiratory protection.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties.

Physical State Liquid saturated on wipe

Appearance Solid

Form Pre-moistened towelette

Color Translucent
Odor Alcoholic solvent

Odor Threshold The highest known value is 22 ppm (Isopropyl alchol)

pH Range ~7-9

<u>Property Values Remarks * Method</u>

Melting point/freezing point

Boiling Point/Range

Flash Point (High in °C)

Evaporation Rate

Flammability (solid, gas)

No information available

No information available

Flammable solid

Flammability Limit in Air

Upper flammability limit: 12.7 V% (Isopropyl alcohol)

Lower flammability limit: 2.1 V%

Vapor pressure No information available Vapor Density No information available

Specific Gravity (H20 = 1) 0.875

Water Solubility Totally soluble in water at 20°C Solubility in other solvents No information available Partition coefficient No information available **Autoignition Temperature** No information available **Decomposition Temperature** No information available No information available Kinematic Viscosity No information available Dynamic Viscosity No information available **Explosive Properties Oxidizing Properties** No information available

Other Information

Softening Point No information available
Molecular Weight No information available
VOC Content (%) No information available
Density No information available
Bulk Density No information available

10. STABILITY AND REACTIVITY

Reactivity

This product may react with strong oxidizing agents.

Chemical Stability

Stable under normal conditions

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks. Avoid temperatures exceeding the flash point. Do not mix with other chemicals.

Incompatible Materials

Aluminum, Acids, Oxidizing agents, Halogenated compounds, Acid anhydrides

Hazardous Decomposition Products

Carbon oxides, product vapors

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Health injuries are

not known or expected under normal use.

Eye Contact Causes serious eye irritation

Skin ContactNot expected to be a primary skin irritant.IngestionNot applicable under normal conditions of use.

Component		ent	LD50 Oral LD50 Dermal		LC50 Inhalation	
	Isopropanol	67-63-0	LD50 4396 mg/kg (Rat)	LD50 12800 mg/kg (Rabbit)	LC50 16970 mg/l/4h	

Information on Toxicological Effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization The product is not expected to cause skin sensitization.

Mutagenic Effects The finished product is not expected to have chronic health effects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive Effects The finished product is not expected to have chronic health effects.

STOT – single exposure STOT – repeated exposureCentral nervous system depression

Nausea, dizziness, narcosis or drowsiness

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

This material is not expected to be harmful to aquatic life.

Component		Freshwater Algae	Freshwater Fish	Water Flea
Isopropanol	67-63-0	IC50: Algae – 1000 mg/L –	LC50: Lepomis Macrochirus (bluegill) –	EC50 – Daphnia (Water flea) –
	67-63-0	72 h	> 1400 mg/l – 96 h	13299 mg/l – 48 h

Persistence and Degradability

No information available

Bioaccumulation/Accumulation

The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.

Mobility

No information available

Results of PBT and vPvB assessment

No information available

Other adverse effects

No information available

Endocrine Disruptor Information

No information available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste Disposal Methods Follow container label directions carefully. Disposal should be in accordance with applicable regional,

national and local laws and regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since

emptied containers may retain product reside, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION

U.S. Department of Transportation (DOT)

UN number:3175 Class: 4.1 Packing group: II Proper shipping name: Solids containing flammable liquid, n.o.s.

Reportable Quantity (RQ): Not applicable

Marine pollutant: No

IMDG

UN number:3175 Class: 4.1 Packing group: II EMS-No: F-E, S-D

Proper shipping name: Solids containing flammable liquid, n.o.s.

Marine pollutant: No

IATA

UN number: 3175 Class: 4.1 Packing group: II Proper shipping name: Solids containing flammable liquid, n.o.s.

15. REGULATORY INFORMATION

European Union Regulations

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

International Inventories

USINV Component listed
CANINV Component listed
EINECS/ELINCS Component listed
ENCS Component listed

ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Component listed

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory CANINV/ DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

WHMIS (Canada): CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F). CLASS D-2B: CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F). CLASS D-2B: Material causing other toxic effects: None

U.S. Federal Regulations

This product is known to be a "Hazardous Chemical" as defined by the OSHA Hazardous Communication Standard, 29 CFR 1910.1200. Flammable liquid, Target Organ Effect, Irritant

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains Isopropanol CAS 67-63-0 which is subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

State Right-to-Know

Massachusetts Right-to-Know Act — Substance List n-Propanol
New Jersey Worker and Community Right-to-Know Act n-Propanol
Pennsylvania Right-to-Know Act — Hazardous Substance n-Propanol
Rhode Island Right-to-Know Act Not regulated

U.S. EPA Label Information

No information available

16. OTHER INFORMATION

Revision Date: 13-June-2019

Hazard Categories: Health Reference 49 CFR 171.8, Fire Pressure Reactivity Immediate Yes Yes No No OSHA 29 CFR 1910.1200 and XXX Delayed Yes No XXX SARA 302/311/312/313.

HMIS Hazard ratings: Health 2 Fire 3 Instability 0 Other B (Goggles, gloves)

Hazard Ratings: Least: 0 Slight: 1 Moderate: 2 High: 3 Extreme: 4

This SDS is in accordance to Regulation (EC) No. 1907/2006.

Disclaimer:

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions, or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Traceable® Products, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Traceable® Products will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.