

POCKET GUIDE

ET/DRY VACS



RIDGID PROFESSIONAL-INDUSTRIAL WET/DRY VACS



Power Drain

Cord Length Accessories Included

Filter Type Included

Hose Included

Special Features



5.0 Peak Horsepower 99 CFM | 48 Lift

4 Gal

Car Nozzle, Diffuser

VF3500, 1/2 Height Fine Dust Filter

Locking 1%" x 8' Pro Hose (Fits 1%" Accessories)

Ergonomic Handle w/ Cord Wrap



4.5 Gal Pro Pack®

No

5.0 Peak Horsepower 100 CFM | 48 Lift





10 Gal Pro Pack® Plus

5.0 Peak Horsepower 94 CFM | 47 Lift

Yes

Two 1%" Wands, Utility Nozzle, Two 1%" Extension Wands . Crevice Crevice Tool, Dusting Brush Tool, Utility Nozzle, Dusting Brush

VF3500, ½ Height Fine Dust Filter

Locking 1%" x 7' Expandable Hose (Fits 1%" Accessories)

Carry Handle, Accessory Storage, Tool Box Design VF5000, Fine Dust Filter

Locking 1%" x 7' Expandable Hose (Fits 1%" Accessories)

Telescopic Transport Handle, Carry Handle, Accessory Storage, Large Tool Box Design



Size Power

Drain

Cord Length

Accessories Included

Filter Type Included

Hose Included

Special Features

16 Gal Stainless w/ Cart

6.5 Peak Horsepower 135 CFM | 45 Lift

Two 2½" Locking Extension Wands, Locking Car Nozzle, Locking Utility Nozzle, Locking Wet Nozzle, Locking Crevice

VF5000, Fine Dust Filter

Locking 1%" x 8' Pro Hose (Fits 21/2" Accessories)

Carry Handle w/ Cord Wrap, Accessory Storage, Scroll Noise Reduction, Stainless Steel Drum, Large Rear Wheels w/ Cart



14 Gal 2-Stage Motor w/ Cart

11.5 AMPs 53 CFM | 81 Lift

Yes

Two 21/2" Locking Extension Wands, Locking Floor Brush, Locking Utility Nozzle, Locking Wet Nozzle, Locking Crevice Tool, Diffuser

VF5000, Fine Dust Filter

Locking 1%" x 10' Pro Hose (Fits 2½" Accessories)

Carry Handle w/ Cord Wrap, Scroll Noise Reduction, Accessory Storage, 2 Stage Motor, Large Rear Wheels w/ Cart





16 Gal 2-Stage Motor w/ Cart 11.5 AMPs

61 CFM | 80 Lift

Yes

Two 11/2" Metal Wands, Master Nozzle with Squeegee Insert, Brush Insert, Carpet Insert, Locking Crevice Tool, Locking Dusting

Brush, Claw Nozzle, Diffuser VF5000, Fine Dust Filter

Locking 1%" x 10' Pro Hose

(Fits 1%" Accessories)

Carry Handle w/ Cord Wrap, Scroll Noise Reduction. Accessory Storage, 2-Stage Motor, Large 'Non-Marking' Rear Wheels w/ Cart













16 Gal w/ Detachable Blower

6.5 Peak Horsepower



0 001	
	eak Horsepower 1 69 Lift
No	

5.0 Peak Horsepower 130 CFM | 58 Lift

6.0 Peak Horsepower 135 CFM | 57 Lift Yes

14 Gal w/ Cart

20'

139 CFM | 49 Lift

6 Gal

10'

15'

12 Gal

20'

Three 1%" Wands, Utility Nozzle

Two 21/2" Locking Extension Wands, Locking Car Nozzle, Locking Utility Nozzle, Locking Wet Nozzle

Two 2½" Locking Extension Wands, Locking Car Nozzle, Locking Utility Nozzle, Locking Wet Nozzle, Locking Crevice Tool

Two 2½" Locking Extension Wands, Locking Car Nozzle, Locking Utility Nozzle, Locking Wet Nozzle, Locking Blowing Wand

VF4000, Standard Filter

VF4000, Standard Filter

VF5000, Fine Dust Filter

(Fits 21/2" Accessories)

Locking 13%" x 8' Pro Hose

Locking 1%" x 8' Pro Hose (Fits 21/2" Accessories)

VF4000, Standard Filter

Locking 1%" x 8' Pro Hose (Fits 13/8" Accessories)

Locking 1%" x 8' Pro Hose (Fits 21/2" Accessories) Large Power Switch, Cord

Storage, Accessory Storage,

14 Gal Smart Pulse™ w/ Cart

Hose Storage, Large Drain

Large Power Switch, Cord Storage, Accessory Storage, Hose Storage, Large Drain, Large Rear Wheels w/Cart

Large Power Switch, Cord Storage, Accessory Storage, Hose Storage, Large Drain, Detachable Blower

Large Power Switch, Cord Storage, Accessory Storage







12 Gal Motor-on-Bottom

6.5 Peak Horsepower

150 CFM | 54 Lift

Tool, Diffuser





16 Gal Motor-on-Bottom w/ Cart

14 Gal HEPA

11.5 AMPs 65 CFM | 83 Lift

Yes

25'

11.5 A MPs 81 CFM | 76 Lift

Yes

6.5 Peak Horsepower 142 CFM | 39 Lift

25'

20'

Yes

Yes 20'

Utility Nozzle (21/2"), Wet Nozzle (2½"), 2 Wands (2½"), Crevice Tool (2½"), Diffuser (2½"), Floor Brush (2½"), Round Dusting Brush (2½"), 2½" to 1¼" Adaptor, Turbo Nozzle (1¼") Muffler/Diffuser Two 2½" Locking Extension Wands, Locking Car Nozzle, Locking Utility Nozzle, Locking Wet Nozzle, Locking Crevice

Two 21/2" Locking Extension Wands, Locking Car Nozzle, Locking Utility Nozzle, Locking Wet Nozzle, Locking Crevice Tool, Diffuser

1 Filter Bag (VF3502), HEPA Pre-Filter, Certified HEPA Filter (HF1000)

2 VF3800 PTFE Coated Filters

VF5000, Fine Dust Filter

Locking 1%" x 8' Pro Hose

Locking 1%" x 10' Pro Hose (Fits 21/2" Accessories)

Locking 1%" x 15' Pro Hose (Fits 21/2" Accessories)

(Fits 21/2" Accessories) (Fits 2½" Accessories)

Carry Handle w/ Cord Wrap, Scroll Noise Reduction, Accessory Storage, Certified HEPA Filtration, 2-Stage Motor, Meets Requirements for RRP

Locking 1%" x 15' Pro Hose Self-Cleaning Filter, Carry Handle w/ Cord Wrap, Accessory Storage, 2 Stage Motor, Large Non-Marking Rear Wheels w/ Cart

Easy to Empty Drum w/ Motor-on-Bottom Design, Scroll Noise Reduction, Foot Activated Switch, Accessory Stretch Caddy

VF5000, Fine Dust Filter

Locking 13%" x 8' Pro Hose

Easy to Empty Drum w/ Motor-on-Bottom Design, Scroll Noise Reduction, Large Rear Wheels w/ Cart, Foot Activated Switch, Accessory Caddy

RIDGID® Professional - Industrial Vacs are built with a commitment to superior performance, technology and quality.

These Vacs are available exclusively at RIDGID® Distributors throughout the United States and Canada.

MOTOR ON BOTTOM

50338 50333

MOTOR ON BOTTOM

THE MOST POWERFUL RIDGID® VAC EVER

24% greater than our previous best.

■ STABLE

Low center of gravity provides stability.

■ EASY TO EMPTY

Filter stays in drum when emptying, allowing for easier, cleaner debris disposal. Drum

detaches from the power sled/cart with quick-slide lock lever.

■ HANDS-FREE

Foot-activated power switch allows for easy access and hands-free operation.

50373

SMART PULSE™ VAC



- Airstream puffs into filter.
- Filters alternate pulsina.
- Vacuum stream continues uninterrupted.

The Smart Pulse™ vac is designed with two filters and an integrated sensor. The sensor is continuously monitoring suction efficiency. When a pressure difference inside the vac vs. the outside of the filter is recognized by the sensor, the vac begins an alternating pulsing cycle, back-flushing air through the filter. This process cleans the filter automatically, yet only when needed, providing uninterrupted performance and maximizing efficiency.





RIDGID® Professional-Industrial Vacs Provide:

- Powerful performance ■Thoughtful on-board accessory storage Rugged, long-lasting
- construction
- Innovative designs that provide versatility

QWIK LOCK® FILTERS

product specification for compatibility



STANDARD FILTER 5 microns / 95% efficiency

Everyday Dirt & Dust

FINE DUST FILTER 1 micron / 99% efficiency Everyday Dirt Cold Ashes

Fine Powders

Sawdust ■ Drywall & Cement Dust

& Dust



HEPA MEDIA FILTER 1 micron / 99.7% efficiency

- High Volume Liquid Pickup Water Borne Debris
- VF6500RT 61993 HEPA Media
- OSHA + HEPA Filtration Kit

When installed together in select RIDGID® vacs this kit is OSHA Silica Table 1 Compliant for certain dry dust collector control methods and HEPAfiltered vacuum control methods (1926.1153) within the limitations of

PTFE PTFE FILTER Slick coating of filter resists

debris collection allowing

more efficient operation.

51808

come standard with the best warranty in the industry. Our reputation for superior

RIDGID® Professional-Industrial Vacs are built to last and quality and durability allows us to stand behind our Vacs with the *RIDGID® Full Lifetime Warranty* against defects in workmanship and material.

See product specification for more details

The use of a dust bag allows for clean, quick debris removal. These dust bags install into the drum and are adaptable to most vac models

filtration up to 99.97% at 0.3 microns and larger in select RIDGID 12 Gal. to 16 Gal. wet dry vacs.









40153



















© 2019 RIDGID, Inc. The Emerson and RIDGID logo are trademarks of Emerson Electric Co. or RIDGID, Inc. in the U.S. and other countries. All other trademarks belong to their respective holders. RIDGID Elvria, Ohio U.S.A.

MAXIMIZE YOUR VAC

WITH ACCESSORIES YOU NEED FOR THE JOB



2½" Locking Wet Nozzle 62933 (LA2510) 1¾" Wet Nozzle 31738 (VT1710) Squeegee for liquid clean-ups.

2½" Locking Floor Brush 62938 (LA2514) 1%" Floor Brush 40168 (VT1714) Excellent for large area clean-ups.

2½" Locking Dusting Brush 62918 (LA2501) 1%" Dusting Brush 31718 (VT1701) Versitile, go anywhere, do anything brush.

2½" Locking Crevice Tool 62948 (LA2502) 1½" Crevice Tool 31723 (VT1702) Great for getting into tight spots.

2½" Blower/Locking Car Nozzle 62953 (LA 2503) 1%" Blower/Car Nozzle 29848 (VT1781) Ideal for cleaning car, boat, RV, or van.

2½" Locking Extension Wands 62923 (LA2508) 1¾" Extension Wands 31728 (VT1708) Extends vac reach.

Muffler/Diffuser 72927 (VT2525) For quieter operation.

Claw Nozzle 26578 (VT2540) Deep and thorough cleaning. Fits 2½", 1%" & 1½" hose sizes.

Carpet Nozzle 26573 (VT2530) Cleans carpet and hard surfaces. Fits 2½" & 1¼" Vacs.

2½" Utility Nozzle 62928 (LA 2509) 1%" Utility Nozzle 31733 (VT1709) Perfect for cleaning up large areas.

Locking 1%"x 7' Expandable Hose 54223 (VT1721)

Length expands from 2' to 7' and locks onto vac for uninterrupted cleaning.

Locking 1%" Pro Hose 8 foot:

Fits 2½" Accessories 54193 Fits 1%" Accessories 54183

10 foot:

Fits 2½" Accessories 30458 Fits 1%" Accessories 31098

15 foot: (Comes with RV3410)
 Fits 1%" Accessories 54188

Prevents clogged debris and locks onto vac for uninterrupted cleaning.

PRO HOSE

- All units include the Pro Hose (except the 4500RV and 1000RV which feature a Locking Expandable Hose).
- The Pro Hose does not crimp or collapse and offers 180° Flexibility.
- The Pro Hose is
 equipped with a large
 1%" opening (with 2½"adaptor cuff when applicable) and a
 smooth interior surface that prevents debris from clogging.
- The locking mechanism secures the hose to the vac quickly and easily, so as to not pull loose during use.







PREMIUM ANTI-STATIC HOSE



The 15' Premium Static
Dissipative Locking Hose won't
pull loose during use and reduces
static build up when used with
the 14 Gal Smart PulseTM Vac.

HOSE & ACCESSORY DIAMETERS

All RIDGID® Hoses fit all RIDGID® Vacs.





21/2 (6.35cm)

Accessories available online at: RIDGID.com

© 2019 RIDGID, Inc. The Emerson and RIDGID logo are trademarks of Emerson Electric Co. or RIDGID, Inc. in the U.S. and other countries. All other trademarks belong to their respective holders. RIDGID Elyria, Ohio U.S.A.

999-997-973.10 1/19